


Embedding Multiple Self-Organisation Functionalities in Future Radio Access Networks

7th COST 2100 Committee Meeting
February 16th - 18th 2009
Braunschweig, Germany

Authors: T. Jansen, TU Braunschweig, Braunschweig
M. Amirijoo, Ericsson, Linköping
Ulrich Türke, atesio, Berlin
L. Jorguseski, TNO ICT, Delft
K. Zetterberg, Ericsson, Linköping
R. Nascimento, TNO ICT, Delft
John Turk, Vodafone, Newbury
L. C. Schmelz, Nokia Siemens Networks, Munich
I. Balan, IBBT, Antwerp




1. Introduction
2. Dependencies between control parameters
3. Interactions between SON functionalities
4. SON Control and Coordination



Objectives of the SOCRATES-Project

- Increase the network performance
 - Quality of service, System capacity, Throughput, ...
- Reduce the effort of human intervention
 - Automate optimisation processes
 - Fast adaptation to network conditions
- Reduce operating costs
 - Energy consumption
 - Operational expenditure (OPEX)
- Continuously collecting measurements
 - UE measurements
 - Cell measurements
 - Information exchange between eNodeB's




SON functionalities considered for LTE


- SOCRATES investigated 24 use cases
 - Use cases address situations where self-organisation may be of benefit
 - Divided into 3 categories [1]
 - **Self-Optimisation**
 - Interference coordination
 - Handover optimisation
 - SO of home eNodeB
 - ...
 - **Self-Configuration**
 - Automatic generation of default parameters
 - Intelligently selecting site locations
 - ...
 - **Self-Healing**
 - Cell outage detection
 - Cell outage compensation
 - Coverage hole management
 - ...
-
- SON algorithms will be developed in every use case group

 Multiple SON functionalities will be active at the same time

[1] Reference: TD (08)616, “**Use Cases, Requirements and Assessment Criteria for Future Self-Organising Radio Access Networks**”, COST2100, Lille, France, October 2008




- SON functionalities
 - Alter some parameter settings
 - Interact with other SON functionalities
- Problems
 - Different SON functionalities alter the same parameter settings
 - for the same reason
 - for different reasons
 - Overall performance depends on multiple SON functionalities




It is necessary to analyse the interaction of the SON functionalities based on the **control parameters** and **interaction with other use cases** that follow the same purpose to identify the functionalities that need to be **coordinated** and **simulated together**

1. Introduction
2. Dependencies between control parameters
3. Interactions between SON functionalities
4. SON Control and Coordination




Definitions used for parameter grouping

- Definition of a *Goal*
 - Example: minimise inter-cell interference, maximise capacity
- Definition of *Parameter*
 - Example: transmission power, antenna parameters
- A parameter affects one or several goals through a *Contributor* relation
- Goals and controlled parameters defined for all use cases
- Objective: Determine the parameters that need to be coordinated



Identifying the parameters


Goal	Parameter(s)
Minimise interference	<ul style="list-style-type: none"> • Transmit power • RB assignment • Adjust beam forming parameters • CQI thresholds for schemes switching
Maximise/Optimise coverage	<ul style="list-style-type: none"> • Transmit power • Antenna parameters
Balance load	<ul style="list-style-type: none"> • Transmit power • Antenna parameters • HO parameters • Cell reselection parameters
Minimise energy consumption	<ul style="list-style-type: none"> • Transmit power • Antenna parameters • Number of used Tx antennas
Maximise cell capacity	<ul style="list-style-type: none"> • Transmit power • Admission control threshold • Congestion detection and resolution parameters • Scheduler parameters • Link level retransmission scheme parameters • Tracking area parameters • Switching point configuration • CQI thresholds for schemes switching





Forming the parameter groups

Parameter Group	Goal(s)	Parameter(s)
A	<ul style="list-style-type: none"> • Minimise interference • Balance load • Minimise energy consumption • Maximise cell capacity • Maximise/optimize network coverage • Maximise HO performance 	<ul style="list-style-type: none"> • Transmit Power • Antenna parameters • RB assignment • HO parameters • Admission control threshold • Congestion detection and resolution parameters • Scheduler parameters • Link level retransmission scheme parameters • Cell reselection parameters • Number of used Tx antennas • Switching point configuration • Adjust beam forming parameters • CQI thresholds for schemes switching • Tracking area parameters
B	<ul style="list-style-type: none"> • Minimise error rate 	<ul style="list-style-type: none"> • Channel power control parameters
C	<ul style="list-style-type: none"> • Maximise access probability 	<ul style="list-style-type: none"> • RACH configuration

1. Introduction
2. Dependencies between control parameters
3. Interactions between SON functionalities
4. SON Control and Coordination



Interaction of SON functionalities for the Trigger Dropped Calls




Interaction of SON functionalities for all Triggers


Trigger	Co-Operating SON functionalities
Blocking	<ul style="list-style-type: none"> Admission control, Load balancing, Handover parameter optimisation, RACH optimisation
Dropping	<ul style="list-style-type: none"> Congestion control, Admission control, Interference coordination, Load balancing, Handover parameter optimisation
Quality of Service	<ul style="list-style-type: none"> Congestion control, Interference coordination, TDD UL/DL switching point, Link level retransmission scheme
Traffic load	<ul style="list-style-type: none"> Congestion control, TDD UL/DL switching point, Load balancing
Cell capacity	
New site	<ul style="list-style-type: none"> Interference coordination, Load balancing, Handover parameter optimisation, Coverage hole detection
Cell outage	
Coverage hole	

SON control and coordination

- Coupling between parameters
 - Changed parameter settings affect several SON goals
- Interaction of SON functionalities
 - Several SON functionalities cooperate to counteract the system performance degradation

 Control and Coordination of SON functionalities is essential

- Approach for managing interaction and coordination



**Thank you very
much for
your attention**

